


POWERCASE M

80M03000-0006 |



Large-area lights
4017506136993
L 695, B 705, H 125

portable
blue



Large area luminaire. Aluminium housing, powder-coated. Corners protected by plastic caps. High-efficiency LED units with optimum light control thanks to clear plastic (PC) lens optics. Can be used folded on the floor, unfolded on a tripod or hanging. Câble d'alimentation robuste en PUR H07BQ-F pour des charges mécaniques élevées avec fiche secteur. Incl. adapter for spigot mounting (d=30 mm, DIN 14640) with the option of straight or inclined mounting (30, 60, 90°). Incl. cover to protect and hold the supply cable during transport.

Product specifications

Length L	695 mm
Width B	705 mm
Height H	125 mm
Weight	13.1 kg
Supply cable / plug	10 m, H07BQ-F, 3 x 1,5 mm ² / Typ E+F (CEE 7/7)
Light source	LED
Colour temperature	5000 K
Rated luminous flux	59000 lm
System power	376 W
System efficiency	157 lm/W
Glare evaluation RUG (4H 8H)	36
Beam angle	155°/159°
LED rated life	60000 h (L80/B50)
Colour rendering index (CRI)	80
Colour tolerance (McAdam)	3 SDCM
Photobiological safety according to EN 62471	Risk group 0
Driver	Converter
Control	on/off
Voltage	220 - 240 V / 50 Hz, 60 Hz
Luminaires on B10A fuse	1
Luminaires on B16A fuse	2
Luminaires on C10A fuse	2
Luminaires on C16A fuse	3
Inrush current / Inrush current duration	126.4 A / 760 µs
CIE Flux Code / CEN Flux Code	37 67 89 96 100
Type of protection	IP 65
Protection class	I
Filament test	650 °C
Impact resistance	IK08
Ambient temperature	-20 °C to + 40 °C
Conformity mark	CE

Accessories



80MZ0001-0005
Push-on disc set for POWERCASE M



95-0266-0001
Rubberized joint feet for Crank tripod 'Premium' (Set 3x)



95-0267-0001
Bracing set, 3x rope cord and peg



95-0060-0014S1
Crank tripod 'Premium', incl. Tripod adapter d=30 mm (DIN 14640), bracing set and carrier box



95-0060-0014.D
Crank tripod 'Premium', Hmax 3,80 m, Hmin 1,74m



95-0294-0014
Crank tripod 'Lightmaxx', Hmax 4,13 m, Hmin 1,75 m



95-0265-0040
Carrier box for telescopic tripod 'Premium', wood, 2 carrier handles



95-0227-0001
Belt strap incl. snap hook (set = 2 pieces), for suspended mounting

POWERCASE M

80M03000-0006 |

