GLADIATOR SLI


83-01000-0006 | Compact lights





Compact lights 4017506115455 L 283, B 272, H 104

portable black



Mobile work light. Housing impact-resistant and break-proof (polycarbonate). Edge protection and handle with soft plastic (thermoplastic elastomer - TPE). Cover opal, made of impact- and break-resistant plastic (polycarbonate). Uniform, soft and glare-reduced illumination thanks to multi-LED technology, opal cover and large light emission surface. Adjustable light direction with plastic bracket (ABS). Heavy rubber power supply cable H07RN-F for high mechanical loads with mains plug. Extensive accessories optionally available (tripods, mounting rails, magnetic holders, etc.). Luminaire with limited surface temperature in accordance with EN 60598-2-24.

Product specifications

Product specifications	
Length L	283 mm
Width B	272 mm
Height H	104 mm
Weight	2.31 kg
Supply cable / plug	5 m, H07RN-F, 2 x 1,0 mm² / Typ E+F (CEE 7/17)
Light source	LED
Colour temperature	5000 K
Rated luminous flux	4000 lm
System power	40 W
System efficiency	100 lm/W
Glare evaluation RUG (4H 8H)	26,6
Beam angle	101°
Colour rendering index (CRI)	80
Photobiological safety according to EN 62471	Risk group 0
Driver	Converter
Control	on/off
Voltage	220 - 240 V / 50 Hz, 60 Hz
Luminaires on B10A fuse	6
Luminaires on B16A fuse	10
Luminaires on C10A fuse	12
Luminaires on C16A fuse	20
Inrush current / Inrush current duration	8 A / 50 μs
CIE Flux Code / CEN Flux Code	51 81 97 100 100
Type of protection	IP 66
Protection class	II
Filament test	850°C - 30 seconds
Impact resistance	IK08 (5 Joule)
Ambient temperature	-20 °C to + 40 °C
Safety marks	D-mark
Conformity mark	CE

GLADIATOR SLI

83-01000-0006 | Compact lights



Accessories



95-0270-0001 Magnet set, for attachment to the threaded bushes in the handle



95-0269-0001 Mounting rail for 2x GLADIATOR SL I or SL II



95-0290-0006 Transport bag for work light



95-0268-0001 Mounting rail for one GLADIATOR SL I or SL II



95-0061-0001 Tripod 'Profi', 3-part, extendable up to 3.20 m

GLADIATOR SL I 83-01000-0006 | Compact lights





